



## CARATTERISTICHE TECNICHE


## TECHNICAL CHARACTERISTICS

| Codice<br>Part No. | Pressione Max<br>Max Pressure |      | Portata<br>Flow rate |     | Temp. Max<br>Max Temp. | Inlet Port<br>Entrata | Outlet Port<br>Uscita |
|--------------------|-------------------------------|------|----------------------|-----|------------------------|-----------------------|-----------------------|
|                    | bar                           | PSI  | l/min                | GPM | °C                     |                       |                       |
| <b>1.099-513.0</b> | 400                           | 5800 | 80                   | 21  | 70                     | G1/2" F               | G1/2" F               |

## DIMENSIONI D'INGOMBRO

## OVERALL DIMENSIONS





**SPARE PARTS KITS**

**KIT RICAMBI**

| <b>CODICE<br/>CODE</b> | <b>DESCRIZIONE<br/>DESCRIPTION</b>                                 | <b>POS.</b> | <b>Q.TA'<br/>Q.TY</b> |
|------------------------|--|-------------|-----------------------|
| <b>9.853-595.0</b>     | <b>KIT GUARNIZIONI, SEDE E SFERA<br/>KIT, SEALS, BALL AND SEAT</b> | 2           | 1                     |
|                        |  | 3           | 3                     |
|                        |  | 4           | 1                     |
|                        |  | 10          | 1                     |
|                        |  | 11          | 1                     |
|                        |  | 15          | 1                     |
|                        |  | 16          | 1                     |
|                        |  | 17          | 1                     |